



Confidential

Installation Guide

May 2019

Table of Contents

Installation	3
Configuration	4
System Administration and Setup	4
Set up My Domain	4
Enable Streaming API for the org	4
Enable Path	5
Basic User Administration and Permission Sets	6
Salesforce Classic: Set-up Navigation Bar and determine Access	9
Enable/Disable Features using Amp Impact Setup	13
Document Upload Enabled?	16
Validation Ranges Enabled?	17
Stop Light Enabled?	17
Allow Targets Column Download?	18
Enable/Disable Excel Upload & Customize Upload Instructions	18
Display or Hide the Targets Columns on AddResults	19
Customize Field Sets	20
Manage Framework Visualforce page	22
Activity Chart Lightning Component	23
Manage Indicators Visualforce page	24
Set Targets Visualforce page	24
Add Results Visualforce page	24
Budget/Financial Excel Download & Upload	25
Manage Disbursements Visualforce page	25
Submission Lightning Components	26
Display Lightning Pages	27





Confidential

Translating Terminology and Labels	29
Translate Tabs	29
Translate Field Labels	29
Translate Picklist Values	30
Translate Custom Labels in VisualForce Pages and Lightning Components	34
Set Up Project Page	35
Customize the Project record page in Lightning (Optional)	35
Customize the Project record page in Classic (Optional)	37
Set Up Calculated and Aggregated Indicators	39
Enable Streaming API in the Salesforce Org (Required)	39
Relevant fields available in the Field Sets	39
Schedule the Aggregation and Calculation Batches	40
Set Up Submissions	41
Field Sets: Customize Pop-ups to Create/Edit Sections and Questions in Submissions	41
Assign Record Types on Profiles	41
Assign Permission Sets to Users	42
Customize Submission Objects, Lightning Pages, and Components	43
Create a custom relationship between Submission and another object	44
Assign the Submission page layouts to specific profiles & record types	45
Assign the Question page layouts to specific profiles & record types	46
Assign the Lightning pages to specific profiles	47
Set up Radar Charts to display Submission scores (Optional)	48
Create a Submission Relationship custom setting record	48
Add the Radar Chart component to Lightning and Community pages	49
Set up automation for users to view Submissions components outside of the Submission record page (Optional)	50
Set up automation to assign scores to Sections and Submissions (Optional)	50
Set up automation to lock Responses and/or Reviews (Optional)	51
Record Limits per Feature	52





Confidential

Deactivate Automation (Optional)	53
Deactivate Triggers using Dynamic Loader	53
Deactivate Process Automation	53
Process Builder	53
Workflow Rules	54
Uninstallation Steps	56
Delete PushTopic	56
Unassign Lightning Record Pages	58
Unassign Permission Sets	59
Deactivate Process	59
Custom Steps per Use Case	60
Custom Lightning Pages	60
Remove Amp Component References from Custom Lightning Page	60
Delete Custom Lightning Page	61
Community	61
Navigation Menu	61
Lightning Components	63
Object Pages	64
Permission Sets	66
Automation	67
Custom Processes	67
Custom Flow	67
Uninstall the Amp Impact Package	68





Confidential

Installation

The following installation and configuration instructions are updated as of May 2019 - covering all releases of Amp Impact.

Latest Release Version Name: Aquila (Spring 2019) | Version Number: 1.22

1. Install Amp Impact into a developer environment or sandbox using the installation link provided below.
 - o Select which users you wish to install the package for (learn more [here](#)).
 - o Click "Install".
2. Configure user, security, and app settings as required for your specific use-case (see ["Configuration" section](#)).
3. Consult the ["Set Up Projects" section](#) on how to get started with using Amp Impact.
4. Perform your current use cases in the sandbox and ensure that they are operating as expected.
5. When you are ready to deploy to production, use the installation link below.
6. Update your custom settings in Production as these will not "carry over" from your sandbox.

Installation Links:

Sandbox: <https://test.salesforce.com/packaging/installPackage.apexp?p0=04t46000001ZfnK>

Production: <https://login.salesforce.com/packaging/installPackage.apexp?p0=04t46000001ZfnK>

If My Domain has already been set up, replace "test" or "login" in the installation links with the specific domain for the org.




Configuration

1. System Administration and Setup

Set up My Domain


In order to use any of the custom Lightning Components in Amp, My Domain will need to be enabled and set up in the org. System Admins can set up My Domain and create a custom Salesforce domain for the organization through the Setup menu.



Enable Streaming API for the org

Streaming API must be enabled in your Salesforce org to use *Aggregated and Calculated Indicators* functionality. System Admins can enable Streaming API following these steps:

1. Open *Setup*.
2. Use the Quick Find search to find and open *User Interface*.
3. Scroll to the *Setup* section of *User Interface*.
4. Make sure that "Enable Streaming API" is selected.
5. Click *Save*.



Enable Path

For Lightning pages in Amp to correctly display the Path component, Path must be enabled in the Salesforce org. System Admins can enable Path by following these steps:

1. Open *Setup*.
2. User the Quick Find search to find and open Path Settings.
3. Click the *Enable* button.
4. (Optional) Edit the Amp Paths as needed:
 - a. *Project Status* - This Path is used on the Project Lightning record page, and its display depends on the value in the `ampi__Project__c` field on `ampi__Project__c`.
 - b. *Submission Status* - This Path is used on the Submission Response and Submission Review Lightning record pages, and its display depends on the value in the `ampi__Status__c` field on `ampi__Submission__c`. By default, it is assigned to the Submission Record Type.

2. Basic User Administration and Permission Sets

System Settings for all Users who will be using Amp Impact

System Settings in Permission Sets are not enabled by default.

1. Go to the Setup Quick Search box, and enter “Permission Sets”.
2. Click “New” to create a new Permission Set.
3. Set the label as “Amp Impact System Permissions”, and the API name should automatically render as Amp_Impact_System_Permissions.
4. (Recommended) Leave Section Activation Required? checkbox and License picklist blank.
5. Click *Save* to create the Permission Set.
6. After savings, scroll down and click “System Permissions”.
7. Select the following System Permissions as TRUE:

The following list can be customized based on what the User(s) needs to access in regards to Reports & Dashboards and running Apex batches for [Aggregated or Calculated Indicators](#).

- API Enabled
- Create and Customize Dashboards
- Create and Customize Reports
- Create Dashboard Folders
- Create Report Folders
- Drag-and-Drop Dashboard Builder
- Edit My Dashboards
- Edit My Reports
- Export Reports



Confidential

- Manage Dynamic Dashboards
- Report Builder
- Run Reports
- View My Team's Dashboards

Access for Users who need *full* access to Amp Impact Objects

After installing Amp Impact, follow these steps to ensure your Users with Admin rights for Amp Impact have access to the Amp Impact Admin permission set.

1. Go the Setup Quick Search box, and enter “Permission Sets”.
2. Select the “Amp Impact Admin” Permission Set.
3. Click the Manage Assignments button.
4. Click the Add Assignments button.
5. Select all relevant users that should have access to the Amp Impact Admin Permission Set and click “Assign”.

Access for Users who need *limited* access to Amp Impact Objects

For other Amp Impact app users who are using the tool for data entry, for example, create a new permission set to grant them limited access.

1. Navigate to Setup > Permission Sets.
2. Clone the Amp Impact Admin permission set.
3. Based on the user profile, edit the permission set by removing any permissions that are unnecessary for the user to use Amp Impact.
4. Once the permission set has been customized per the user profile, assign the permission set to the relevant user(s) by clicking “Manage Assignments”.
5. If specific permission requirements are determined during configuration (e.g., restriction of certain edit privileges), System Admin may need to modify/clone this permission set or modify user permissions on an individual profile level to achieve these requirements.





Confidential

6. Additionally, certain permission and sharing setups (i.e., restricting “create” access for certain objects for some user groups, make individual tabs available but not the entire app) may require the System Admin to make additional changes to existing user permission & record sharing setup leveraging the standard Salesforce platform security & sharing features.


The Amp Impact Admin permission set does not contain permissions to either the Project Role or Organization Role objects, as permission sets in managed packages cannot provide access to custom objects that are detail to standard Salesforce objects in a master-detail relationship.

To provide access to either of these objects, create a new permission set (or modify an existing unmanaged permission set) and add both the object and field permissions manually through Object Settings. Assign this new permission set to any users who require access to Project Role and Organization Role.


Reports Access: Vera has also set up a report folder - **Amp Reports**. Share this folder in order to grant users view/edit/manage access to the report content, or create and share new report folders.

1. To share the folder with other users, navigate to the Reports tab, and click on the folder “Amp Reports”.
2. Select the pin next to the folder name and select “Share”.
3. Then share with desired users.





Custom Settings: The image below shows how to access and customize the custom settings details in the following **Steps 3-7**.



3. Salesforce Classic: Set-up Navigation Bar and determine Access



Confidential

Organizations whose end users are on Salesforce Lightning do not need to set this Navigation Bar and can move to the [next section](#).

The Navigation Bar allows users to navigate to and between features of Amp Impact. To set up the required Tabs in the Navigation Bar, the admin will have to create a Custom Setting record for each Visualforce page that will be used and navigated to.

1. **Create a custom setting for the Navigation Bar labels and links to the relevant pages.** Use [this spreadsheet](#) to upload the Tabs or follow the steps below.
2. Go to the Setup Quick Search box, and enter “Custom Settings”.
3. Go to Custom Settings and click on “Manage” next to the “Nav Bar” label.
4. Click “New” and create the following, per your organization’s use of Amp Impact.

Definitions

Name¹: Text that displays in the Navigation Bar tab - can be customized per organization’s terminology (e.g. “Track Metrics” instead of “Add Results”).

Page API Name²: URL to hyperlink in the tab.

Parameters: This can be left blank for all records.

Title¹: Text that displays on cursor hover over the Navigation Bar tab - can be customized per organization’s use case (e.g. “Visualize” instead of “Performance Graphs”).

Unique Key²: Short string with a letter code.




Page	Name ¹	Page API Name ²	Title ¹	Unique Key ²
Project	Project	/apex/ampi__project	Project	proj
ManageLogframes	Manage Framework	/apex/ampi__managelogframes	Manage Framework	mf
ActivityTracking	Activity Tracking	/apex/ampi__activitytracking	Activity Tracking	at
ManageIndicators	Manage Indicators	/apex/ampi__manageindicators	Manage Indicators	mi
SetTargets	Set Targets	/apex/ampi__settargets	Set Targets	st
AddResults	Add Results	/apex/ampi__addresults	Add Results	ar
PerformanceGraph	Performance Graphs	/apex/ampi__performancegraph	Performance Graphs	pg
ManageDisbursements	Manage Disbursements	/apex/ampi__managedisbursements	Manage Disbursements	md

¹ Both Name and Title can be customized to the organization's use case. The values provided in the table are the sample values that can be used, based on the Visualforce page names.

² Page API Name and Unique Key are static values that need to be inputted for the Nav Bar to function correctly.

- a. **Navigation Bar Access:** This is used to customize the Navigation Bar for different users e.g. Community vs. Client-organization users.

To display any part of the Navigation Bar for a certain profile or user, the admin must create a “Nav Bar Access” record for that profile or user. The admin can set a default view of the Navigation Bar for the entire organization using the Default Organization Level Value.



Custom Setting
Nav Bar Access

If the custom setting is a list, click **New** to add a new set of data. For example, if your application had a setting for country codes, each set might include the country's name and code.

If the custom setting is a hierarchy, you can add data for the user, profile, or organization level. For example, you may want different values to display depending on whether a specific profile, or just a general user.

Step 1

▼ Default Organization Level Value

View: [Create New View](#)

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | **S** | Z | Z | T | U

Step 2

Setup Owner ↑	Location
No records to display.	

- Go to Custom Settings and click on “Manage” next to the “Nav Bar Access” label.
- Create a Default Organizational Level Value.
 - Click on the “New” button - as displayed on Step 1 in the image above.
 - In the “Available Nav Bar Items” field, enter the Unique Key for all pages that should appear on the Nav Bar. (For example, if all pages should be accessible through the Nav Bar, enter “proj, mf, at, mi, st, ar, pg, md”.) For a list of the Unique Keys, look at the table on the previous page.
 - The tabs are displayed in the order in which the Unique Keys are entered.
- To customize for certain profiles or users, the admin must first locate the profile/user they want to create a custom Navigation Bar view for in the Location field. Then, the admin must enter a comma-separated list of the Unique Keys of the relevant Visualforce pages,



Confidential

in the order in which they want the tabs for those pages to appear in the Available Nav Bar Items field.

- a. For example, as an admin, I want my Community Users to only view the Project, AddResults, and PerformanceGraph pages, so I create a new Nav Bar Access record with the following information:
 - i. In the “Location” field, select “Profile” and locate “Customer Community Login” in the lookup.
 - ii. In the “Available Nav Bar Items” field, enter “proj,ar,pg”.
 - iii. The tabs are displayed in the order in which the Unique Keys are entered.

4. Enable/Disable Features using Amp Impact Setup

Some key features in the product can be configured on/off depending on the client organization’s preferences for the product. To enable or disable any of these features:

1. Go to Custom Settings and click on “Manage” next to the “Amp Impact Setup” label.
2. Create Setup preferences for specific users and profiles.

Amp Impact comes with the following features that can be enabled/disabled as needed at the user, profile, and organization level:



Amp Impact Setup Edit

[Help for this Page](#)

Provide values for the fields you created. This data is cached with the application.

Edit Amp Impact Setup

Amp Impact Setup Information ! = Required Information

Location

Allow Targets Column Download?

Chatter Enabled For Add Results?

Chatter Enabled For Manage Indicators?

Chatter Enabled For Set Targets?

Document Upload Enabled?

Stop Light Enabled?

Submit Results for Review Enabled?

Submit Targets for Review Enabled?

Validation Range Enabled?

1. Allow Targets Column Download?
 - a. Component: *Download* button on AddResults page
 - b. UX if TRUE: Targets and Results download into the same Excel file on click of the Download button.
 - c. UX if FALSE: Only Results download into the Excel file on click of the Download button.
2. Chatter Enabled For Add Results?
 - a. Component: AddResults page
 - b. UX if TRUE: Chatter feed displays at the top of the AddResults page.
 - c. UX if FALSE: Chatter feed does not display at the top of the AddResults page.
3. Chatter Enabled For Manage Indicators?
 - a. Component: ManageIndicators page
 - b. UX if TRUE: Chatter feed displays at the top of the ManageIndicators page.
 - c. UX if FALSE: Chatter feed does not display at the top of the ManageIndicators page.
4. Chatter Enabled For Set Targets?
 - a. Component: SetTargets page



Confidential

- b. UX if TRUE: Chatter feed displays at the top of the SetTargets page.
 - c. UX if FALSE: Chatter feed does not display at the top of the SetTargets page.
5. Document Upload Enabled?
- a. Component: *Attach* button on AddResults page
 - b. UX if TRUE: Attach button displays on AddResults page. On click of Attach, document upload interface appears.
 - c. UX if FALSE: Attach button does not display on AddResults.
6. Project Summary on Manage Disbursements?
- a. Component: Project Summary section on ManageDisbursements page
 - b. UX if TRUE: Project Summary section displays on ManageDisbursements page, according to the PROJECT_SUMMARY field set on `ampi__Project__c`.
 - c. UX if FALSE: Project Summary section is hidden on ManageDisbursements page.
7. Stop Light Enabled?
- a. Component: Total column in table on AddResults page
 - b. UX if TRUE: Red/yellow/green stoplight appears in Total Column for each numeric (Currency, Number, Percent) `ampi__Project_Indicator__c` that has the following fields populated:
 - i. `ampi__Aim__c` field on `ampi__Project_Indicator__c` record
 - ii. `ampi__Red_Yellow_Threshold__c` field on `ampi__Project_Indicator__c` record
 - iii. `ampi__Yellow_Green_Threshold__c` field on `ampi__Project_Indicator__c` record
 - iv. Relevant Target fields on `ampi__Result__c` record
 - v. Relevant Result fields on `ampi__Result__c` record
 - c. UX if FALSE: Stoplight does not appear in Total Column.
8. Submit Results for Review Enabled?
- a. Component: *Submit* button on AddResults page
 - b. UX if TRUE: Submit button displays on AddResults page. On click of Submit, a confirmation popup to submit results will appear. Once the submission is confirmed, the page will be locked from editing.
 - c. UX if FALSE: Submit button does not display on AddResults page.



9. Submit Targets for Review Enabled?
 - a. Component: *Submit* button on SetTargets page
 - b. UX if TRUE: Submit button displays on SetTargets page. On click of Submit, a confirmation popup to submit targets will appear. Once the submission is confirmed, the page will be locked from editing.
 - c. UX if FALSE: Submit button does not display on SetTargets page.
10. Validation Range Enabled?
 - a. Component: Input fields on SetTargets and AddResults pages
 - b. UX if TRUE: SetTargets and AddResults pages flag a user if the value entered in the input field is outside of the validation range set by the following fields on `ampi__Project_Indicator__c`:
 - i. `ampi__Validation_Range_Minimum__c`
 - ii. `ampi__Validation_Range_Maximum__c`
 - c. UX if FALSE: SetTargets and AddResults pages will not flag a user based on the value entered in the input field, irrespective of any values in the Validation Range fields.

If you enable any of the features mentioned above, first review the following additional information about them:

Document Upload Enabled?

Use case: This feature allows users to upload supporting documents when reporting on the Add Results page for each reporting period.

The “Document Upload Enabled?” custom setting allows admins to control if the Add Results page shows users the option to upload documents for a specific reporting period.

- Enabling the feature will display a button with an attach icon on the Add Results page. The button’s help text (displayed on hover) can be edited/customized in the `UPLOAD_DOCUMENTS` custom label.
- If you enable this feature, also add the `Documents_Required_for_RP__c` field to the Reporting Period object page layout. This field lets users (e.g. Grant Managers) specify what documents they want uploaded for the particular reporting period. This field is



Confidential

always displayed on the pop-up that opens when a user clicks on the “Attach” button on the Add Results page.

Validation Ranges Enabled?

Use case: This feature allows a user creating a Project Indicator to specify a range of expected values for that indicator. The Set Targets and Add Results pages will be updated to live-check each value that is entered (on change of the input) to flag if an entered value falls outside the range of expected values.

The “Validation Range Enabled?” custom setting allows admins to control if the STAR pages show live error checking using a minimum and maximum value for each project indicator using the `Validation_Range_Minimum__c` and `Validation_Range_Maximum__c` fields.

- If the setting is enabled but there are no values in the two fields above, the live error checking will not work.
- If the setting is disabled then even if values exist in the two fields, the live error checking will not work.

Stop Light Enabled?

Use case: This feature allows the organization to set up red, yellow, and green icons to appear next to results to give a quick snapshot of whether a target was achieved or not.

The “Stop Light Enabled?” custom setting allows admins to control if the Add Results pages display a performance stoplight for project indicators where an *Aim* field value has been indicated and the Threshold values using “`Red_Yellow_Threshold__c`” and “`Yellow_Green_Threshold__c`” fields have been set.

- If the setting is enabled, with no values in the Aim and/or *both* the Threshold fields, a stoplight will not show on the AddResults page.
- If the setting is disabled, even if values exist in the Aim and both Threshold fields, a stoplight will not show on the AddResults page.



Allow Targets Column Download?

- The Excel Download feature displays on the STAR pages as a button with a download icon on the Set Targets and Add Results pages. The button’s help text (displayed on hover) can be edited/customized in the DOWNLOAD_EXCEL_BUTTON custom label.
 - Clicking on the button downloads a formatted Excel file for the given Project, Geographic Area, and Reporting Period currently displayed on the Set Targets or Add Results pages, containing cells for associated Result records.
 - The Excel file will not include any Result records that are associated with a Project Indicator that has been deactivated. This data can be accessed through native Salesforce from the record for the individual Project Indicator and/or using the “Deactivated Indicators Historical Data” report (available in the Amp Reports folder).
 - In addition to the “indicator description”, “disaggregation value”, and target/results data, all other data displayed is dependent on the fields selected in the Add Results indicator info popover or Set Targets indicator info popover field sets on the Project_Indicator__c object.
- The “Allow Targets Column Download?” custom setting enables users to select if they want to download target data with results data on the Add Results page or results data only.
 - If the setting is enabled, then both targets and results data will download.
 - If the setting is disabled, then only results data will download.

5. Enable/Disable Excel Upload & Customize Upload Instructions

The Set Targets and Add Results pages can be additionally customized through the “SetTargets” and “AddResults” custom settings for those pages. The “Upload” button can be either displayed or hidden through these custom settings, by checking or unchecking “Excel Upload Enabled?”.

When a user downloads an Excel template from Set Targets or Add Results, they are given a set of instructions on how to properly set up the Excel sheet for upload. For any additional custom

instructions that may be needed for your organization, use these custom labels to add further steps to the sections of the instructions sheet:

- UNDERSTANDING_THE_DOWNLOADED_EXCEL_CUSTOM
- PREPARE_EXCEL_FOR_UPLOAD_CUSTOM
- UPLOAD_EXCEL_INSTRUCTIONS_CUSTOM

6. Display or Hide the Targets Columns on AddResults

Select whether or not to display the Targets columns (Total Target, Male Target, Female Target, Unknown Target) on AddResults using the “Add Results” custom setting. The Targets columns will be displayed before the corresponding Results columns if the “Display Targets?” field is checked as TRUE.

- If Project Indicators are not cross-disaggregated by sex for a Reporting Period and Geographic Area combination, then only a Total Targets column will be displayed before the Total Results column.

PROJECT INDICATOR	TOTAL		
	TARGET	RESULT	
Assessments given 	400	<input type="text"/>	
Describe level of awareness 		+	
People impacted 	20,000	<input type="text"/>	
Percentage of clients who are female 	50 %	<input type="text"/> %	

- If at least one Project Indicator is cross-disaggregated by sex for a Reporting Period and Geographic Area combination, then four Targets columns (one Total and one per sex disaggregation value) will be displayed before the respective Results column.

PROJECT INDICATOR	TOTAL		MALE		FEMALE		UNKNOWN	
	TARGET	RESULT	TARGET	RESULT	TARGET	RESULT	TARGET	RESULT
Assessments given	300		100	<input type="text"/>	100	<input type="text"/>	100	<input type="text"/>
Describe level of awareness		+						
People impacted	3,500		1,500	<input type="text"/>	1,500	<input type="text"/>	500	<input type="text"/>
Percentage of clients who are female	50 %	<input type="text"/> %						


The display of Targets on AddResults does not control whether Target values are displayed in the Excel file downloaded from AddResults. See [this section](#) to hide or display Targets in the Excel.

7. Customize Field Sets

Amp Impact uses field sets for users to add/remove fields and customize the product's features per client needs. Each field set has a list of available fields that users can choose to use. Some fields in the field set are already selected to display on installing the product. The other available fields can be added for usage, if appropriate. In addition, users can create custom fields on the relevant object and add these to the field set as well.

To edit any of the field sets, follow the instructions detailed below.

Step 1: Identify and open the object.




Object Manager

51+ Items, Sorted by Label

LABEL	API NAME	DESCRIPTION	LAST MODIFIED	DEPLOYED	CUSTOM
Account	Account				
Account Brand	AccountBrand				
Activity	Activity				
Activity	ampi__Activity__c		5/28/2019	✓	✓
Allocation	ampi__Allocation__c	Custom object to track monetary amounts allocated to a project by an account or organization.	8/6/2018	✓	✓
Asset	Asset				
Asset Relationship	AssetRelationship				
Budget	ampi__Budget__c	Budget for a project	6/10/2018	✓	✓

Step 2: Identify and open the field set.




Activity

Field Sets

4 Items, Sorted by Field Label

FIELD LABEL	API NAME	CREATED BY	MODIFIED BY	DESCRIPTION
ACTIVITY_TABLE_COLUMNS	ampi__ACTIVITY_TABLE_COLUMNS	Gabriella Espinoza, 1/18/2019, 2:48 AM	Gabriella Espinoza, 5/28/2019, 6:23 AM	This field set controls the columns that are displayed between the Activity Name column and the timeline on the Activity Table.
ACTIVITY_TABLE_SEARCH_FILTER	ampi__ACTIVITY_TABLE_SEARCH_FILTER	Gabriella Espinoza, 1/18/2019, 2:48 AM	Gabriella Espinoza, 5/28/2019, 11:25 PM	The field controls which fields on Activity__c are queried when a user types into the search bar to filter the Activity table.

Step 3: Edit and save the field set.



Manage Framework Visualforce page

- Fields displayed in the “Add New Framework Item” pop-up
 - Object: Catalog_Objective__c
 - Field set name: ADD_NEW_OBJECTIVE_POPUP
- Fields displayed in the “Edit Framework Item” pop-up
 - Object: Objective__c
 - Field set name: EDIT_PROJECT_OBJECTIVE_POPUP
- Column fields on the Manage Framework page - fields on the Project Objective object available to be displayed as column headers on this page
 - Object: Objective__c
 - Field set name: LOG_FRAMES_TABLE
- Column fields on the Manage Framework page - fields on the Project Indicator object available to be displayed as column headers on this page
 - Object: Project_Indicator_Objective__c
 - Field set name: LOG_FRAMES_TABLE

Activity Chart Lightning Component

□ The Activity field sets currently support all field types except Encrypted String and Time. The behavior of these two unsupported fields is denoted beneath each field set.

- Fields displayed in “Add New Activity” pop-up
 - Object: Activity__c
 - Field set name: CREATE_NEW_ACTIVITY_POPUP
 - Unsupported field types: Encrypted String, Time
 - Note: Implementation_Plan__c must be included in this field set in order for new Activities to be added to the correct Implementation Plan
- Fields displayed in “Edit Activity” pop-up
 - Object: Activity__c
 - Field set name: EDIT_ACTIVITY_POPUP
 - Unsupported field types: Encrypted String, Time
- Column fields on the Activity Chart (between Activity Name and Timeline)
 - Object: Activity__c
 - Field set name: ACTIVITY_TABLE_COLUMNS
 - Unsupported field types: Encrypted String, Time
 - If added to the field set, unsupported fields will be hidden

□ It is recommended to include **no more than 3 fields** in the *Activity Table* for users to be able to view the information in a user-friendly manner.

- Fields used in expanded search filters and search bar
 - Object: Activity__c
 - Field set name: ACTIVITY_TABLE_SEARCH_FILTER
 - Unsupported field types: Encrypted String, Long Text Area, Rich Text Area, Time
 - If added to the field set, unsupported fields will display error message “Data-Type not supported”.

Manage Indicators Visualforce page

- Column fields on the Catalog Indicators tab
 - Object: Indicator__c
 - Field set name: CATALOG_INDICATORS_TABLE
- Fields displayed in “Add New Indicator” pop-up
 - Object: Indicator__c
 - Field set name: ADD_NEW_INDICATOR_POPUP
- Column fields for the Selected Project Indicators tab
 - Object: Project_Indicator__c
 - Field set name: SELECTED_PROJECT_INDICATORS_TABLE
- Fields displayed in “Edit Project Indicator” pop-up
 - Object: Project_Indicator__c
 - Field set name: EDIT_PROJECT_INDICATOR_POPUP
- Column fields for the Deactivated Indicators tab
 - Object: Project_Indicator__c
 - Field set name: DEACTIVATED_PROJECT_INDICATORS_TABLE

It is recommended to include **no more than five fields** in the *Catalog Indicators*, *Selected Project Indicators*, or *Deactivated Indicators* tabs to be able to view the information in a user-friendly manner.

Set Targets Visualforce page

- Indicator info popover displayed by hovering on the info icon
 - Object: Project_Indicator__c
 - Field set name: SET_TARGETS_INFO_POPOVER

Add Results Visualforce page

- Indicator info popover displayed by hovering on the info icon
 - Object: Project_Indicator__c

- Field set name: ADD_RESULTS_INFO_POPOVER

Budget/Financial Excel Download & Upload

- Fields displayed in the downloaded Excel file
 - Object: Financial__c
 - Field set name: BUDGET_EXCEL_COLUMNS
 - Partially supported field types: Auto-number, Formula, Date, Date/Time
 - Values in *Auto-number* and *Formula* fields can be downloaded in an Excel file but will throw an error when uploading the Excel.
 - While *Date* and *Date/Time* fields can be added to the Excel file for download, they must be converted to Text in the Excel before uploading for the upload to succeed.
 - If a custom Date or Date/Time field is added to the field set, [modify the custom label](#) PREPARE_BUDGET_UPLOAD_CUSTOM to say: “Additional Instructions: For the [DateTimeFieldName] column, convert the data in the column to Text format before uploading the Budget Excel.”

It is recommended to include **no more than 25 column fields** in the *Budget Excel Download* for users to be able to view the information in a user-friendly manner.

Manage Disbursements Visualforce page

- Fields displayed in the Project Summary section
 - Object: Project__c
 - Field set name: PROJECT_SUMMARY
- Fields displayed as columns in the Disbursements table
 - Object: Disbursement__c
 - Field set name: DISBURSEMENT_TABLE

It is recommended to include **no more than 9 fields** in the *Disbursement Table* for users to be able to view the information in a user-friendly manner.

Add/Edit Disbursement pop-ups fields are controlled by two field sets - one on the Disbursement__c object and Reporting_Period__c object. This allows users additional flexibility to determine which fields are relevant for their use of the feature.

- Add/Edit Disbursement pop-ups - fields displayed on the “Add New Disbursement” pop-up and the “Edit Disbursement” pop-up
 - Object: Disbursement__c
 - Field set name: ADD_EDIT_POPUP
 - Note: Add the Reporting_Period__c lookup field in order to display the fields in the ADD_EDIT_POPUP on Reporting_Period__c
- Add/Edit Disbursement pop-ups - Reporting Period fields displayed on the “Add New Disbursement” pop-up and the “Edit Disbursement” pop-up
 - Object: Reporting_Period__c
 - Field set name: ADD_EDIT_POPUP
 - Note: Fields in this field set are only displayed if the Reporting_Period__c field is added to the ADD_EDIT_POPUP on the Disbursement__c object

Submission Lightning Components


The field sets currently support all field types except Encrypted String, Multi-Select Picklist, and Time.

- Add/Edit Section pop-ups - fields displayed on the “Add New Section” pop-up and the “Edit Section” pop-up
 - Object: Section__c
 - Field set name: Add_Edit_Section_Popup
 - Unsupported field types: Encrypted String, Multi-select Picklist, Time
- Add/Edit Question pop-ups - fields displayed on the ‘Add New Question’ pop-up and the “Edit Question” pop-up
 - Object: Question__c
 - Field set name: Add_Edit_Question_Popup

- Unsupported field types: Encrypted String, Multi-select Picklist, Time

8. Display Lightning Pages

Amp Impact includes Lightning pages in the package: a Home page and a record page for each of the custom Amp Impact objects.




The screenshot shows the Lightning App Builder interface. The main content area displays a list of Lightning Pages. The table below is a representation of the data shown in the screenshot:

Action	Label	Name	Namespace Prefix	Description	Type	Created By	Last Modified By
Clone View	Amp Impact Home	Amp_Impact_Home	ampi		Home Page	GESpl, 30/10/2017 9:56 AM	GESpl, 30/10/2017 9:56 AM
Clone View	Indicator_Record_Page	Indicator_Record_Page	ampi		Record Page	GESpl, 13/02/2018 4:12 PM	GESpl, 13/02/2018 4:12 PM
Clone View	Project	Project	ampi		Record Page	GESpl, 30/10/2017 9:56 AM	GESpl, 13/02/2018 4:12 PM

If your organization is already on Lightning and using custom Lightning pages, the Amp Home Lightning page will not display automatically if your custom Lightning Home page is activated as the org default.

To display any of Amp's Lightning pages, you will need to adjust the Activation settings either on your custom Lightning pages by removing them as the org or app default, or on the Amp Lightning pages by setting them as the app / profile defaults. You can access the Activation settings in the Lightning App Builder.




9. Translating Terminology and Labels

An organization may choose to customize Amp Impact to match the specific terminology users are familiar with. See the *User Guide* for a glossary and definitions. Modify this terminology following the steps below:

Translate Tabs

- Navigate to Setup > Rename Tabs and Labels.
- Click *Edit* next to the relevant object name (e.g., Project).
- Enter the new tab names (singular and plural) to update the translation / terminology (e.g., Project → Investee).
- Click *Next*.
- Review updates and click *Save*.



The screenshot shows the 'Rename Tabs and Labels' setup page. At the top, there is a 'SETUP' header with a gear icon and the title 'Rename Tabs and Labels'. Below this, the page title 'Rename Tabs and Labels' is displayed, along with a 'Help for this Page' link. The main content area contains a form with the following fields and options:


- Tab:** Projects
- Language:** English
- Record Name:** Name
- Singular:** Grant (Example: Account)
- Plural:** Grantees (Example: Accounts)
- Starts with vowel sound:**

There are 'Save' and 'Cancel' buttons at the top and bottom of the form area.

Translate Field Labels

- Navigate to Setup > Translation Workbench > Translation Settings.
 - Select *Enable*.

- Click “Add” under “Supported Languages” and select “English”.
- Navigate to Setup > Translation Workbench > Override.
- Select “Amp Impact” Package and “English” Language.
- Select the Components to translate (Custom Field) and then the relevant object(s).
- Choose the Aspect “Field Label” to update field labels and “Related List Label” to update the labels displayed on related lists on a record detail page.
- Edit the Field Label Override to update the translation/ terminology.
- Click *Save*.



SETUP
Override

Select the filter criteria:

Package: Amp Impact

Language: English

Setup Component: Custom Field

Object: Project

Aspect: Field Label

Master Field Label	Field Label Override	Field Type	Out of Date
Active?		Formula (Checkbox)	<input type="checkbox"/>
Country		Picklist	<input type="checkbox"/>
Default Results RP Id		Text(255)	<input type="checkbox"/>
Default Targets RP Id		Text(255)	<input type="checkbox"/>

Translate Picklist Values

- Navigate to Setup > Object Manager.
- Click on the object with the relevant picklist field (e.g., Activity).
- Click on the Field & Relationships tab.
- Click on the name of the picklist field (e.g., Status).
- Customize the picklist values.
 - To **update** a picklist value, click *Edit* next to the value.

- To **create** a new picklist value, click *New* at the top of the list of picklist values and fill in the fields accordingly.

Values					
Action	Values	API Name	Default	Chart Colors	Modified By
Edit Del Deactivate	Planning	Planning	<input type="checkbox"/>	Assigned dynamically	ampi_beta_test 16/1/2019 10:36 AM
Edit Del Deactivate	In Progress	In Progress	<input type="checkbox"/>	Assigned dynamically	ampi_beta_test 16/1/2019 10:36 AM
Edit Del Deactivate	Complete	Complete	<input type="checkbox"/>	Assigned dynamically	ampi_beta_test 16/1/2019 10:36 AM

While most Amp Impact picklists are unrestricted and can be modified, certain picklists have either restrictions or limitations. These are listed in the table below.

Object API Name	Field API Name	Restrictions/Limitations
Activity__c	Status__c	To update picklist values, both Label and API Name must be modified with the same value. There are no restrictions on creating new picklist values.
	Type__c	To update picklist values, both Label and API Name must be modified with the same value. There are no restrictions on creating new picklist values.
Geographical_Area__c	Type__c	There are no restrictions on editing or creating picklist values, but the changes made to this picklist field must also be made to Geographical_Disaggregation__c on Indicator__c and Project_Indicator__c.
Indicator__c	Data_Type__c	To update picklist values, both Label and API Name must be modified with the same value. The corresponding custom label (listed below) for the picklist value must also be translated: <ul style="list-style-type: none"> INDICATOR_CURRENCY_DATA_TYPE INDICATOR_MILESTONE_DATA_TYPE

		<ul style="list-style-type: none"> • INDICATOR_NUMBER_DATA_TYPE • INDICATOR_PERCENT_DATA_TYPE • INDICATOR_QUALITATIVE_DATA_TYPE <p>There are no restrictions on creating new picklist values, but additional picklist values will not display on SetTargets or AddResults.</p>
Indicator__c / Project_Indicator__c ³	Calculate_Total__c	<p>This picklist is restricted. The default picklist value labels can be updated, as long as the API name is not modified.</p> <p>Additional picklist values will not yield any calculations on SetTargets or AddResults.</p>
	Aim__c	<p>This picklist is restricted. The default picklist value labels can be updated, as long as the API name is not modified.</p>
	Reporting_Frequency__c	<p>There are no restrictions on editing or creating picklist values, but the changes made to this picklist field must also be made to Report_Type__c on Reporting_Period__c.</p>
	Target_Frequency__c	<p>There are no restrictions on editing or creating picklist values, but the changes made to this picklist field must also be made to Report_Type__c on Reporting_Period__c.</p>
	Geographical_Disaggregation__c	<p>There are no restrictions on editing or creating picklist values, but the changes made to this picklist field must also be made to Type__c on Geographical_Area__c.</p>

³ Any changes made to a picklist on the Indicator__c object should also be made to the corresponding picklist on the Project_Indicator__c object, and vice versa (e.g. if a new picklist value “Bimonthly” is added to Reporting_Frequency__c on Project_Indicator__c, then “Bimonthly” must be also added to the Reporting_Frequency__c field on Indicator__c).


Project__c	MI_Indicator_Order__c	There are no restrictions on editing or creating picklist values (via the Indicator_Type global value set to accommodate custom fields), but additional picklist values must be formatted such that: <ul style="list-style-type: none"> • Label = Custom field label • Value = Custom field API Name
	MI_Project_Indicator_Order__c	There are no restrictions on editing or creating picklist values (via the Indicator_Type global value set to accommodate custom fields), but additional picklist values must be formatted such that: <ul style="list-style-type: none"> • Label = Custom field label • Value = Custom field API Name
	STAR_Project_Indicator_Order__c	There are no restrictions on editing or creating picklist values (via the Indicator_Type global value set to accommodate custom fields), but additional picklist values must be formatted such that: <ul style="list-style-type: none"> • Label = Custom field label • Value = Custom field API Name
Project_Indicator_Reporting_Period__c	Data_Tracked__c	This picklist is restricted. The default picklist value labels can be updated , as long as the API name is not modified. Additional picklist values will not display on SetTargets or AddResults.
Reporting_Period__c	Report_Type__c	There are no restrictions on editing or creating picklist values, but the changes made to this picklist field must also be made to Reporting_Frequency__c and Target_Frequency__c on Indicator__c and Project_Indicator__c.

Result__c	Data_Tracked__c	This picklist is restricted. The default picklist value labels can be updated , as long as the API name is not modified. Additional picklist values will not display on SetTargets or AddResults
-----------	-----------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Translate Custom Labels in VisualForce Pages and Lightning Components

[Select custom labels](#) are referenced in Visualforce Pages and Lightning Components as output text. To update this text, you need to also update corresponding custom labels. To do so:

- Navigate to Setup > Custom Labels.
- Locate the relevant custom label.
 - The Categories column indicates:
 - Which Visualforce page or Lightning Component references the custom label.
 - Which item(s) - e.g. button, tooltip, pop-up header - display the custom label text.
- Click the relevant custom label (e.g., AVAILABLE_THEMATIC_AREA_LABEL) to view the label's details.
- Then add a new translation by clicking "New Local Translations / Overrides".



Custom Label Detail Edit

Short Description	AVAILABLE_THEMATIC_AREA_LABEL	Name	AVAILABLE_THEMATIC_AREA_LABEL
Language	English	Protected Component	<input checked="" type="checkbox"/>
Namespace Prefix	ampi		
Installed Package	Amp Impact		
Categories	STAR_USER_INTERFACE		
Value	Available Thematic Areas		
Created By	Gabriella Espinoza, 26/06/2017 3:03 PM	Modified By	Gabriella Espinoza, 26/06/2017 3:03 PM

Edit

Local Translations / Overrides New Local Translations / Overrides

i These translations were created by administrators in your company. Local translations override packaged ones.

No records to display


Packaged Translations

- Select the Language as “English” and fill in Translation Text with the appropriate translation / terminology (e.g., “Available Focus Areas” to replace “Available Thematic Areas”).
- Click *Save*.

Set Up Project Page

Amp Impact provides two interfaces for project records, depending on whether a user is in Salesforce’s Classic or Lightning Experience.

Customize the Project record page in Lightning (Optional)



The screenshot shows a project record for 'Financial Inclusion' with the following details:

- Organization: Vera Solutions
- Funding Amount: \$200,000.00
- Project Start Date: 1/1/2017
- Project End Date: 12/20/2020

The 'Reporting Periods' section is active, showing a table with 4 rows:

REPORTING PERIOD ID	REPORTING PERIOD NAME	REPORTING PERIOD START DATE	REPORTING PERIOD END DATE
RP-00000	2017	1/1/2017	12/31/2017
RP-00001	2018	1/1/2018	12/31/2018
RP-00002	2019	1/1/2019	12/31/2019
RP-00003	2020	1/1/2020	12/31/2020

Projects in Lightning Experience are displayed with each of the Lightning Components or Visualforce pages included as a tab, and users can toggle between each page without leaving the project’s record detail page.


- There are two available action buttons: Edit & Delete.
- The Path above the record’s tabs is linked to the Project Status field. Update the field by using the Path component or by editing it directly within the Project record.
- By default, the tabs on the Project Lightning Record Page include: Details, Setup (Related Lists), Framework, Indicators, Targets, Results, Performance Graphs, and Financials.
 - To add or remove any of these tabs, clone the Lightning Record Page and, in the cloned page, edit the tabs and tab order by clicking on the Tab Component.⁴
- If your organization needs to change Project’s record layout in Lightning because only certain pages are utilized by their users, [create a new Lightning Record Page](#) with the desired setup through the Lightning App Builder. To add any of the Visualforce pages to a Lightning Page:

⁴ When adding a new tab, be sure to place a Lightning Component within the tab in order for the tab to save and display.

- Drag the Visualforce Lightning Component onto the page.
 - Click into the component.
 - Use the picklist on the right side to select which Amp Visualforce page to display in the component's space.
- If your organization needs to change the Project's page layout in Lightning because only certain fields are utilized by users, edit those items directly in the page layout editor in Setup.
 - Control access to fields on the Project record layout by adding/removing those fields.

Customize the Project record page in Classic (Optional)

Projects in Classic Experience are displayed with each of the Visualforce pages accessible through a custom button. When navigating to any of the Visualforce pages, the Nav Bar will display at the top in order to facilitate easy toggling between the pages.



Project Detail	
Organization	Vera
Name	Financial Inclusion
Project Description	
Country	
Parent Project	
Project Status	Initiated
Created By	ampi beta test, 17/1/2019 12:16 PM
Owner	ampi beta test [Change]
Project Start Date	1/1/2019
Project End Date	31/12/2020
Funding Amount	\$350,000.00
Last Modified By	ampi beta test, 17/1/2019 1:25 PM

- Each of the Visualforce pages is available as a custom button, following the Edit and Delete standard buttons.



Confidential

- If your organization needs to change the Project's record layout in Classic because only certain pages and/or fields are utilized by users, edit those items directly in the page layout editor in Setup.
 - Control access to Visualforce pages through the Project record layout by adding/removing buttons from the button menu.
 - Control access to fields on the Project record layout by adding/removing those fields.



Set Up Calculated and Aggregated Indicators

Enable Streaming API in the Salesforce Org (Required)

Some features of Aggregated and Calculated Indicators will only function correctly if Streaming API is enabled in your Salesforce org. To enable Streaming API, follow the below steps:

1. Open Setup.
2. Use the Quick Find search to find and open User Interface.
3. Scroll to the Setup section of User Interface.
4. Make sure that 'Enable Streaming API' is selected.
5. Click *Save*.

Relevant fields available in the Field Sets

1. Indicator__c object
 - a. Add New Indicator Popup on ManageIndicators page:
 - i. Type_of_Results__c (this is a required field)
2. Project_Indicator__c object
 - a. Edit Project Indicator Popup on ManageIndicators page:
 - i. Type_of_Results__c
 - b. Selected Project Indicators table on ManageIndicators page:
 - i. Type_of_Results__c
 - ii. Last_Aggregation_Date__c
 - iii. Last_Calculation_Date__c
 - iv. Calculation_Formula__c
 - c. Add Results Info Popover on AddResults page:
 - i. Type_of_Results__c
 - ii. Last_Aggregation_Date__c
 - iii. Last_Calculation_Date__c
 - iv. Calculation_Formula__c

NOTE: It is recommended to include **no more than five fields** to display in the *Selected Indicators table*, to be able to view the information in a user-friendly manner.

Schedule the Aggregation and Calculation Batches

A System Admin can use the [Apex Scheduler](#) to set a frequency for the batch(es) to run:

1. From Setup, enter Apex in the Quick Find box, then select Apex Classes.
2. Click Schedule Apex.
3. Enter a unique value in the job name (e.g. “Run Agg Batch Daily Overnight” to run the Aggregation batch every day while people are offline).
4. Click the lookup button next to Apex Class and click the name of your scheduled class (either AggregateCalculation_Scheduler or AutoCalculation_Scheduler).
5. Select Weekly or Monthly for the frequency and set the frequency desired.
6. Select the start and end dates, and a preferred start time.
7. Click *Save*.

It is recommended to schedule the batches overnight or outside of work hours, as the batches can take several hours to run, depending on the amount of data processes and/or generated in your system.

Set Up Submissions

□ The Submissions feature consists of six Lightning Components. In order to be able to use Submissions in Amp, your Salesforce instance will need to be in Lightning Experience, and MyDomain will need to be set up in your Salesforce org. For more details, please see [Salesforce's documentation on how to set up MyDomain](#).

1. Field Sets: Customize Pop-ups to Create/Edit Sections and Questions in Submissions

`ampi__Section__c` and `ampi__Question__c` are two Amp objects that are used to customize Submission templates, fill out Submission responses, and score responses. Each object has a field set that controls the display of the respective pop-ups to add or edit records.

- Add/Edit Section Popup: Field set on Section object that determines which fields are displayed and required in the Add New Section and Edit Section pop-ups.
- Add/Edit Question Popup: Field set on Question object that determines which fields are displayed and required in the Add New Question and Edit Question pop-ups.

2. Assign Record Types on Profiles

`ampi__Submission__c` and `ampi__Question__c` each have two Record Types. Since the Amp package does not contain any Profiles, those Record Types need to manually be assigned to each Profile that needs access to the Submission feature.

- `ampi__Submission__c` Record Types
 - Template: Assign this record type to any Profile that needs to create or view submission templates.



Confidential

- Submission: Assign this record type to any Profile that needs to assign a submission to another user from a template, fill out a submission response, or review a submission response.
- **ampi__Question__c Record Types**
 - Question: Assign this record type to any Profile that needs to create or view questions on a submission template.
 - Answer: Assign this record type to any Profile that needs to create a submission from a template, fill out answers in a submission response, or review answers in a submission response.

3. Assign Permission Sets to Users

Amp Impact provides three permission sets that should be assigned to users depending on how they will be using the Submissions feature. The following table details each permission set and example users. For any custom permissions that need to be provided, clone the relevant permission set to customize the permission sets.

Permission Set	Description	Example User
Submission Template	Enables Users to access the fields necessary for creating Templates, creating Submissions from those Templates, and assigning new Submissions to parent records.	Program Officer
Submission Response	Enables Users to access the fields necessary to view their Submissions, fill out their answers to the Questions, and submit their response for review.	Grantee
Submission Review	Enables Users to access the fields necessary to view and edit Submissions assigned to them for review, assign scores to the response, and submit their scores for approval.	Assessment Reviewer



Follow these steps to ensure your Submissions Users can fully use the feature.

1. Go to the Setup Quick Search box, and enter “Permission Sets”.
2. Open the permission set that you would like to assign to Users. This opens the permission set detail page.
3. Click the “Manage Assignments” button in the top menu of the permission set detail page. This will load an assignment interface.
4. In the next page, click the “Add Assignments” button in the top menu. This will load a list of all Users in the org.
5. Select the checkbox next to each User to whom you want to assign the permission set. Once all relevant Users are selected, click the “Assign” button.
6. Click *Done*.

4. Customize Submission Objects, Lightning Pages, and Components

The new Submission feature involves three new objects, three new Lightning pages (on the `ampi__Submission__c` object), and seven Lightning Components, all of which can be configured to meet your specific use case. Review the following table to understand each Lightning Component, its functionality, and example users that might be interacting with the component.

Component Name	Function	Implementation	Example User
CreateTemplateData	Create and edit submission templates with sections and questions	Added to Lightning Page for Submission Templates	Program Officer
SubmissionTemplate Preview	Preview template to see how it will look to responding users	Added as Action to Submission Template page layout	Program Officer



Confidential

SubmissionResponse Form	Respond to questions on a template assigned to a user	Added to Lightning Page for Submission Responses	Grantee
SubmissionResponse Review	Review and edit a user's submission <i>Note: If a user has read-only access on any fields on the <code>ampi__Question__c</code> object, then those fields will be displayed as read-only in the component.</i>	Added to Lightning Page for Submission Review	Assessment Reviewer
SubmissionResponse Scoring	Assign scores and add comments to a user's submission	Added to Lightning Page for Submission Review	Assessment Reviewer
SubmissionRadar Charts	View scores for all submissions on a single parent record (e.g. the scores from all Financial Reports submitted by an Organization/Account)	Not added anywhere by default - needs to be added to a custom Lightning page	Program Officer
SubmissionClone	Clone a submission (including responses if Record Type is Submission) so that the user can simply edit pre-existing responses for their next submission	Added as Action button to Submission Template Layout and Submission Layout	Grantee, Program Officer

5. Create a custom relationship between Submission and another object

Out of the box, the Submission object is not associated with any specific Salesforce object, besides Section and Question. Since the feature can be used to assess or qualitatively report on





Confidential

any Salesforce object, the System Admin will need to custom configure that relationship depending on the organization's use case.

Add a lookup field on the Submission object to start creating Submission records for another object record. You can choose to add a lookup to Standard Salesforce objects, Amp Impact objects, or any custom object in your Salesforce system.

Once the lookup field is created, be sure to add it to the [page layout](#) (*only* the Submission Layout and Response Layout) that will be displayed to Users creating Submission records to be filled out by other Users.

6. Assign the Submission page layouts to specific profiles & record types

Out of the box, the Submission object comes with three page layouts:

1. Template Layout - this should be assigned to the Template Record Type and the Profile of users who will be creating, editing, and downloading submission templates (e.g. Program Officers).
2. Response Layout - this should be assigned to the Submission Record Type and the Profile of users who will be filling out responses in submissions (e.g. Grantee).
3. Submission Layout - this should be assigned to the Submission Record Type and the Profile of users who need to see the full details of the submission record (e.g. Program Officer, Assessment Reviewer).

On the Submission object, scroll to the Page Layouts and click the *Page Layout Assignment* button to customize which page layout is displayed to which user profile and record type.



Page Layouts			Q Quick Find	New	Page Layout Assignment
3 Items, Sorted by Page Layout Name					
PAGE LAYOUT NAME	CREATED BY	MODIFIED BY			
Response Layout	ampi beta test, 1/16/2019, 10:36 AM	ampi beta test, 1/16/2019, 11:46 AM			
Submission Layout	ampi beta test, 1/16/2019, 10:36 AM	ampi beta test, 1/16/2019, 11:46 AM			
Template Layout	ampi beta test, 1/16/2019, 10:36 AM	ampi beta test, 1/16/2019, 10:37 AM			

7. Assign the Question page layouts to specific profiles & record types

Out of the box, the Question object comes with two page layouts:

1. Question Layout - this should be assigned to the Question Record Type and the Profile of users who will be creating, editing, and downloading submission templates (e.g. Program Officers).
2. Answer Layout - this should be assigned to the Answer Record Type and the Profile of users who will be responding to questions in submissions (e.g. Grantees).

On the Question object, scroll to the Page Layouts and click the *Page Layout Assignment* button to customize which page layout is displayed to which user profile and record type.

Page Layouts			Q Quick Find	New	Page Layout Assignment
2 Items, Sorted by Page Layout Name					
PAGE LAYOUT NAME	CREATED BY	MODIFIED BY			
Answer Layout	ampi beta test, 1/16/2019, 10:36 AM	ampi beta test, 1/16/2019, 10:36 AM			
Question Layout	ampi beta test, 1/16/2019, 10:36 AM	ampi beta test, 1/16/2019, 10:36 AM			

8. Assign the Lightning pages to specific profiles

Lightning Page API Name	Function	Components	Related Record Type	Example User
Submission_Template_Record_Page	Enables users to create and edit submission templates, preview templates and assign those templates to other users to fill out	CreateTemplateData SubmissionTemplatePreview SubmissionClone	Template	Program Officer
Submission_Response_Record_Page	Enables users to fill out any submissions that have been assigned to them and submit responses for review	SubmissionResponseForm SubmissionClone	Submission	Grantee
Submission_Review_Record_Page	Enables users to read responses submitted by other users and assign scores to those responses	SubmissionResponseReview SubmissionResponseScoring	Submission	Assessment Reviewer

None of the Lightning pages have pre-configured user assignments. Provide user access to the three pages directly through the [activation settings](#) on the pages themselves, based on how Users will be working with Submissions. For example, a System Administrator, who will see both Templates and Submission Reviews, can be assigned both the Submission Template and Submission Review Record Pages by using Record Type assignment.

Additionally, by default, the three new Lightning pages are configured based on the three main functions of the Submission feature: Template creation, Submission response, and Submission

review. These Lightning pages can be further configured to address an organization's specific use case by cloning the pages and making the necessary changes.

10. Set up Radar Charts to display Submission scores (Optional)

Scoring a Submission and viewing a radar chart with performance is optional when using the Submissions feature. However, if an organization wants to use radar charts, then the following setup steps are required.

Create a Submission Relationship custom setting record

Once Submission is related to another object, a custom setting record will need to be created in order to correctly [display Radar Charts](#) on the parent object record pages. The purpose of the custom setting is for the component to store this metadata for the component to query (i.e. a custom setting record would need to be created for every relationship field that is added on Submission if Radar Charts are being used on each parent object).

1. Go to Custom Settings in Setup.
2. Click “Manage” next to Submission Relationship.
3. Click “New” button.
4. Fill out the *Name* field with the API name of the parent object.
 - a. e.g. If Submission is child to the Project object from Amp, *Name* would be populated with “ampi__Project__c”.
5. Fill out the *Child Relationship Field Name* field with the API name of [the relationship field created earlier](#).
 - a. e.g. If Submission is child to the Project object, *Child Relationship Field Name* would be populated with “Project__c”, the API name of the custom field added to the Submission object.

In the example below, Submission is looking up to Projects (Object API Name: `ampi__Project__c`) through a custom lookup field on Submission (Field API Name: `Project__c`).

Submission Relationship Edit

Provide values for the fields you created. This data is cached with the application.

Edit Submission Relationship

Submission Relationship Information ! = Required Information

Name

Child Relationship Field Name

If the organization's use case will involve creating Submissions for multiple objects, then Steps 2 and 3 will need to be repeated for each object that will require the Submissions feature.

For example, an organization may conduct assessments on Organizations/Accounts *and* request narrative reporting for Projects. The System Admin will need to add one lookup field and one custom setting record for Account, and repeat the process for the Project object.

Add the Radar Chart component to Lightning and Community pages

Since the parent object of Submission needs to be custom configured for each organization, the radar chart component (`SubmissionsRadarChart`) is not included on any Lightning page out of the box. To display the component, simply open the Lightning record page of Submission's parent object in the Lightning App Builder and/or Community Builder and drag the Radar Chart component into the desired space on the page. As needed, [add visibility filters to the component](#) to only display the component when certain criteria are met.

The radar chart component only displays on a Lightning page if the related submission template has child submissions with scored sections. If the submission template has no sections or the sections are not scored, then the **component will display as blank**.

11. Set up automation for users to view Submissions components outside of the Submission record page (Optional)

The following components are available for Flow so that they can be launched from pages besides the Submission record page:

- SubmissionResponseForm
- SubmissionResponseReview
- SubmissionResponseScoring

Depending on the organization's use case, [set up a Flow](#), using the Screen Flow element, to display the relevant component in other locations in the system - e.g. the Lightning Home Page of an app or the record page of a related object.

If a Flow has been set up using the SubmissionResponseForm component, it is also recommended to modify the SUBMISSION_SUBMIT_MODAL_TEXT custom label to guide the user through the Flow. See instructions to override the custom label [here](#).

12. Set up automation to assign scores to Sections and Submissions (Optional)

Scores on Sections (`ampi__Section__c.ampi__Score__c`) and Submissions (`ampi__Submission__c.ampi__Overall_Score__c`) can be populated either manually or through automation, based on the score values assigned to child records.

Organizations may choose to build additional automation (e.g. section scores should take the average of the question response scores) for assigning scores, using native Salesforce automation, according to their specific requirements.



Confidential

13. Set up automation to lock Responses and/or Reviews (Optional)

The SubmissionResponseForm and SubmissionResponseScoring components are displayed as either editable or read-only, depending on the value in two fields on the Submission object.

1. If *ampi__Response_Locked__c* = TRUE, then the SubmissionResponseForm component is locked from editing for all Users on that Submission record.
2. If *ampi__Review_Locked__c* = TRUE, then the SubmissionResponseScoring component is locked from editing for all Users on that Submission record.

By default, these fields are updated manually. If the components should lock after specific user actions, automation can be built to auto-populate these fields based on those user actions. For example, if the SubmissionResponseForm component should lock after a user submits their response, then a workflow rule can be built such that when *ampi__Response_Status__c* = "Submitted", *ampi__Response_Locked__c* updates to TRUE, and the user can no longer edit their answers.



Record Limits per Feature

Feature	Record Limit	Processing / Loading Time
ManageIndicators	1,000 total combination of Indicators and Project Indicators	1-2 mins
ManageFramework	1,000 Project Objectives	1-2 mins
SetTargets	300 Results (per Reporting Period & Geographic Area combination within a Project)	1-2 mins
AddResults		
Aggregated Indicators	30,000 Total Records (Combination of Project Indicator, Project Indicator Reporting Period, and Project Indicator Geographic Area)	3-4 hours
Calculated Indicators	67,000 Total Records (Combination of Project Indicator, Project Indicator Reporting Period, and Project Indicator Geographic Area)	12 hours
Submissions	250 Questions per Template 25 Sections per Template	N/A
Radar charts	8 Submissions per parent record (Recommended - limit is over 100)	N/A
Activities	300 Activities per Implementation Plan (Recommended - limit is 6,500)	N/A
Disbursements	1,000 Disbursements	1-2 mins
Budget Excel	2,000 Financials (with 12 columns) 1,800 Financials (with 25 columns)	1-2 mins

Deactivate Automation (Optional)

After installation of Amp Impact, the package contains a number of automations that simplify data management for the users. However, if certain automations are unused or do not match your business processes, they can be deactivated by following the guidelines below.

1. Deactivate Triggers using Dynamic Loader

On installation of Amp Impact, a post-install script will run and automatically install and activate all Amp Impact triggers as Dynamic Loader custom setting records in the Salesforce org.

Admins can customize (i.e. change the order, deactivate) the triggers by opening and editing each Dynamic Loader custom setting record. As an Admin, you can control which Triggers from the Amp Impact action schema (review this in your Field Map document) you would like to disable. For example, if your organization does not use Thematic Areas, you could choose to deactivate the Triggers on the following objects: `ampi__Thematic_Area__c`, `ampi__Project_Thematic_Area__c`, and `ampi__Project_Indicator_Thematic_Area__c`.


You can also control if your users should be able to download an Excel file from the SetTargets and AddResults pages through the Dynamic Loader custom setting.

2. Deactivate Process Automation

Beyond Apex triggers, Amp Impact includes additional automation, including processes and workflow rules & actions.

Process Builder

Amp Impact has one process builder - *Copy Objective Field Values onto Project Objective*. This copies the value in the `ampi__Level__c` and `ampi__Definition__c` fields on a `ampi__Catalog_Objective__c` record respectively onto the `ampi__Level__c` and `ampi__Description__c` fields on any child `ampi__Objective__c` records. By default, this is active on installation, and can be deactivated if your organization does not wish to use it. To do so, go to the Setup Quick Search box and search for “Process Builder”. Expand the process builder and click “Deactivate” next to the Active Version.




PROCESS	DESCRIPTION	OBJECT	PROCESS TYPE	LAST MODIFIED	STATUS	ACTIONS
▼ Copy Objective Field Values onto Project Obj...						
Version 2: Copy Objective Field Values onto P...	Populates the Level and Description fields on Proje...	Project Object...		04/10/2018	Active	Deactivate

Workflow Rules

Amp Impact has four workflow rules on Result__c object, each of which are associated with at least one field update workflow action:

Workflow Rule Name	Description	Workflow Action(s)
Result values are created	Checks whether the result values on a result record are being populated for the first time	<ul style="list-style-type: none"> Update ampi__Result_Created_Date__c Update ampi__Result_Last_Modified_Date__c
Result values are edited	Checks whether the result values on a result record have been modified	<ul style="list-style-type: none"> Update ampi__Result_Last_Modified_Date__c
Target values are created	Checks whether the target values on a result record are being populated for the first time	<ul style="list-style-type: none"> Update ampi__Target_Created_Date__c Update ampi__Target_Last_Modified_Date__c
Target values are edited	Checks whether the target values on a result record have been modified	<ul style="list-style-type: none"> Update ampi__Target_Last_Modified_Date__c

These workflow rules and actions are *Active* on installation of the managed package. They can be deactivated if your organization does not wish to use them. To do so, go to the Setup Quick Search box, and search for “Workflow Rules”. Click “Deactivate” next to any Workflow Rules that your organization does not want to use.



The screenshot shows the Salesforce Setup interface for Workflow Rules. The search bar contains "workflow rules". The left sidebar shows "Process Automation" > "Workflow Rules". The main content area displays a list of workflow rules with columns for Action, Rule Name, Description, Object, and Active. The "Deactivate" button for the first rule, "Result values are created", is highlighted with a red box.


Action	Rule Name ↑	Description	Object	Active
Edit Del Deactivate	Result values are created	Checks that result fields on Result object have been populated for the first time	Result	✓
Edit Del Deactivate	Result values are edited	Checks that result fields on Result object have been modified	Result	✓
Edit Del Deactivate	Target values are created	Checks that target fields on Result object have been populated for the first time	Result	✓
Edit Del Deactivate	Target values are edited	Checks that target fields on Result object have been modified	Result	✓

Uninstallation Steps


Before uninstalling the Amp Impact managed package from a Salesforce org, certain manual steps must be taken for the uninstall process to succeed. For official Salesforce documentation on uninstalling managed packages, click [here](#).

Delete PushTopic

1. Open the Developer Console using the Setup menu.



2. In the Developer Console, click “Query Editor” in the tabs along the bottom.



PushTopic@1:47 PM

```
select id, name from pushtopic
```

Query Results - Total Rows: 0

Id	Name
----	------

Query Grid: Save Rows Insert Row Delete Row Refresh Grid

Access in Salesforce: Create New Open Detail Page Edit Page

Logs Tests Checkpoints **Query Editor** View State Progress Problems

```
select id, name from pushtopic
```

Any query errors will appear here...

Execute Use Tooling API


History

- Executed
- select ampi_project_indicator__r.ampi_description__c...
- select ampi_project_indicator__c from ampi_result__c...
- select ampi_project_indicator__c from ampi_result__c...
- select ampi_project_indicator__c from ampi_result__c...
- select id, ampi_project_indicator__c from ampi_result__c...

3. In the “Query Editor”, enter the following string:

```
select id, name from pushtopic
```

4. Click “Execute” in the bottom left.



PushTopic@1:47 PM

```
select id, name from pushtopic
```

Query Results - Total Rows: 0

Id	Name
----	------

Query Grid: Save Rows Insert Row Delete Row Refresh Grid

Access in Salesforce: Create New Open Detail Page Edit Page

Logs Tests Checkpoints **Query Editor** View State Progress Problems

```
select id, name from pushtopic
```

Any query errors will appear here...


Execute Use Tooling API

History

- Executed
- select ampi_project_indicator__r.ampi_description__c...
- select ampi_project_indicator__c from ampi_result__c...
- select ampi_project_indicator__c from ampi_result__c...
- select ampi_project_indicator__c from ampi_result__c...
- select id, ampi_project_indicator__c from ampi_result__c...

5. Select the PushTopic named “AggregateCalculateUpdate”.

6. Click “Delete Row”.



The screenshot displays the Amp Impact Query Editor interface. At the top, there is a header bar with the text "PushTopic@1:47 PM" and a dropdown arrow. Below this is a text input field containing the SQL query "select id, name from pushtopic". The main area is a query grid with a blue header "Query Results - Total Rows: 0" and two columns: "Id" and "Name". The grid is currently empty. Below the grid is a toolbar with buttons for "Save Rows", "Insert Row", "Delete Row" (highlighted with a red box), and "Refresh Grid". To the right of the toolbar are links for "Access in Salesforce: Create New", "Open Detail Page", and "Edit Page". Below the toolbar is a tabbed interface with tabs for "Logs", "Tests", "Checkpoints", "Query Editor" (selected), "View State", "Progress", and "Problems". The "Query Editor" tab shows the same SQL query. Below the query editor is a text area for error messages: "Any query errors will appear here...". At the bottom left, there are checkboxes for "Execute" and "Use Tooling API". On the right side, there is a "History" panel showing a list of executed queries.

Unassign Lightning Record Pages

All Amp Impact Lightning Record Pages must not have any custom assignments before uninstallation. Follow the steps below to ensure that these custom assignments do not prevent package uninstallation.

1. Open Setup.
2. Use the QuickFind menu to click Lightning App Builder.
3. For each page managed by Amp Impact that has been activated in the system:
 - a. Click “View” next to the page.
 - b. Click “Activation” button in the Lightning App Builder.
 - c. Remove any Org Default, App Default, and/or App and Profile assignments, so that the page has no assignments in the end.
 - d. Click “Save”.

Some Amp Impact Lightning Record Pages (e.g. Project) have an out-of-the-box assignment to either the Amp Impact app or the org default. Out-of-the-box assignments will not prevent uninstallation. For steps with regard to *custom* Lightning pages that use Amp components, go to [this section](#).

Unassign Permission Sets

All Amp Impact permission sets must not be assigned to any users in order for the package uninstallation to succeed. Follow the below steps to remove any user assignments from the permission sets.

1. Open Setup.
2. Use the QuickFind menu to click “Permission Sets”.
3. Open the Amp Impact Admin permission set.
4. Click “Manage Assignments”.
5. Select all users assigned the permission set and click “Remove Assignments”.
6. Repeat Steps 3-5 for every other permission set managed by Amp Impact:
 - a. Submission Response
 - b. Submission Review
 - c. Submission Template

Custom permission sets that provide access to Amp Impact objects do not need to be altered for the uninstallation to succeed.

Deactivate Process

Processes in the Amp Impact package must be deactivated before the package uninstallation can succeed. Follow the below steps to deactivate all Amp processes.



Confidential

1. Open Setup.
2. Use the QuickFind menu to click “Process Builder”.
3. Expand the process named “Copy Objective Field Values onto Project Objective”.
4. Click “Deactivate”.

□ These instructions only pertain to processes included in the Amp Impact package. For custom processes that reference Amp Impact objects, see this [section](#) for uninstallation steps.

Custom Steps per Use Case

If customizations (e.g. custom Lightning pages, automation, etc.) have been made on top of the Amp Impact package, additional steps may be necessary before package uninstallation, depending on the type of customization(s).

Custom Lightning Pages

For any custom Lightning Pages that contain Amp Impact components (including Lightning Components, Visualforce Pages, or Amp Impact objects), those Lightning Pages need to be either deleted or edited such that they no longer reference those components.

Remove Amp Component References from Custom Lightning Page

1. Open Setup.
2. Use the QuickFind menu to click “Lightning App Builder”.
3. For each custom Lightning Page that needs Amp components removed:
 - a. Click “Edit” next to the Lightning Page.
 - b. Click the Delete icon for each component that references an Amp component.
Some examples include (but are not limited to):
 - i. Standard Visualforce Component that references an Amp Visualforce page
 - ii. Standard Report Chart Component that references an Amp report / object
 - iii. Custom - Managed Lightning Components from the Amp package
 - c. Click “Save”.



Delete Custom Lightning Page


1. Open Setup.
2. Use the QuickFind menu to click “Lightning App Builder”.
3. For each custom Lightning Page that needs to be deleted:
 - a. Click “Edit” next to the Lightning Page.
 - b. Click “Activation” in the Lightning App Builder.
 - c. Remove any activation/assignments of the page.
 - d. Return to the list of Lightning Pages by clicking “Back”.
 - e. Click “Del” next to the Lightning Page.

Community


Any references to Amp Impact components must be removed from all Communities in your Salesforce system.

Navigation Menu


1. Open Setup.
2. Use the QuickFind menu to click “All Communities”.
3. Click “Builder” next to the Community that has a Navigation Menu that references Amp Objects.
4. Click into the Navigation Menu in the Builder.



5. In the popup that appears, click the “Navigation Menu” button.




6. In the next popup that appears, click the X next to every Amp Object listed in the Navigation Menu.




7. Click “Save” in the popup.
8. Click “Publish”.

Lightning Components

1. Open Setup.
2. Use the QuickFind menu to click “All Communities”.
3. Click “Builder” next to the Community that has Object Pages that reference Amp Components.
4. Click “Home” to expand the list of pages in the Community.




5. Click the Template Page that is referencing an Amp Component.
6. In the Community Builder, remove any component that either belongs to the Amp Impact package (e.g. ActivityChart Lightning Component) or references an Amp Impact component (e.g. Report Chart component that references an Amp Impact object) from the page.
7. Repeat Steps 4-6 for every page that contains an Amp Impact component.
8. Click “Publish”.




Object Pages


1. Open Setup.
2. Use the QuickFind menu to click “All Communities”.
3. Click “Builder” next to the Community that has Object Pages that reference Amp Objects (e.g. Project, Submission, etc.).
4. Click “Home” to expand the list of pages in the Community.




5. Click the ellipsis [...] next to the Object Page that references an Amp Object.



6. Click “Delete Object Pages” in the menu that expands, and confirm the delete in the popup.



7. Repeat Steps 4-6 for every Object Page that references an Amp Object.
8. Click “Publish”.



Permission Sets

1. Open Setup.
2. Use the QuickFind menu to click “All Communities”.



Confidential

3. Click “Workspaces” next to the Community that has Object Record Pages that reference Amp Objects.
4. Click the Administration tile in the Community Workspace.
5. Click “Members” in the Administration side menu.
6. Scroll to the “Select Permission Sets” section. Move any Amp Impact permission sets (e.g. Amp Impact Admin, Submission Response) from the “Selected Permission Sets” list to the “Available Permission Sets” list.
7. Click Save.

Automation

Any custom automation that has been built to reference Amp Impact components (e.g. objects, fields, et al) must be deactivated or deleted for the package uninstallation to succeed.

Custom Processes

Custom processes that reference any Amp Impact components must be deleted before uninstalling the package.

1. Open Setup.
2. Use the QuickFind menu to click “Process Builder”.
3. Expand the custom process that references the Amp Impact component(s).
4. Make sure all versions of the custom process are Inactive.
 - a. If a version is Active, open that version of the process and click the Deactivate button.
5. Click Delete next to the process. If there are multiple versions, each version must be deleted before uninstalling Amp Impact.
6. Repeat Steps 3-5 for every custom process that references Amp Impact components.

Custom Flow

Custom flows that reference any Amp Impact components must be deleted before uninstalling the package.





Confidential

1. Open Setup.
2. Use the QuickFind menu to click “Flow”.
3. Open the custom flow that references the Amp Impact component(s).
4. Make sure all versions of the custom flow are Inactive.
 - a. If a version is Active, click the Deactivate button next to that version.
5. Click the Delete button for the flow.
6. Repeat Steps 3-5 for every custom flow that references Amp Impact components.

Uninstall the Amp Impact Package

Once all the above steps are complete, then proceed with the actual uninstallation of the Amp Impact managed package.

1. Open Setup.
2. Use the QuickFind menu to click “Installed Packages”.
3. Click “Uninstall” next to the Amp Impact package.
4. In the next screen, you will be prompted to save a copy of this package’s data for 48 hours after uninstall. This temporarily saves all data and metadata from the package in case you need to re-install the package and re-upload your historical data.
5. Check the box next to “Yes, I want to uninstall this package and permanently delete all associated components”.
6. Click *Uninstall*.

